



AeroSeal 4' & 8'

Description

The AeroSeal LED fixture combines a sleek, modern design with robust performance, making it an ideal solution for wet and demanding environments. Designed with a durable polycarbonate housing, AeroSeal offers excellent impact resistance while its IP65 rating ensures reliable protection against moisture and dust. Available in 4ft and 8ft lengths, it delivers powerful illumination with energy-efficient LED technology, reducing power consumption without compromising performance. With its compact profile and versatile mounting options, AeroSeal is well-suited for parking garages, warehouses, walkways, and other high-moisture areas. This fixture is built to withstand tough conditions while providing efficient and dependable lighting.

Model: ASVT-4 & -8



Optical:

CCT:	3500K -6000K
Lumen Efficacy:	140LM/W
CRI:	>82



Electrical:

Rated Power:	30W-35W-40W
Input voltage:	100-277VAC
Beam angle:	116°

Life:

Lumen maintenance:	50,000
Warranty:	2 Years



General:

Dimmable Solution:	0-10V
IP:	IP65
Certification:	ETL , DLC , FCC listed
Application:	Car Washes/Food processing/Gas Station Laboratories/Industrial Facilities/Warehouse/Supermarket



MODEL	SIZE	A (inch)(mm)	B (inch)(mm)	A (inch)(mm)
ASVT-4	4FT	47.24" 1200mm	2.91" 74mm	2.44" 62mm
ASVT-8	8FT	94.45" 2400mm	2.91" 74mm	2.44" 62mm

Due to continuous improvements, the information herein may be changed without notice


831 3rd St W, North Vancouver, BC V7P 3K7 Canada | P.: +1(604) 770-3315 | E: info@maxstarlighting.com



AeroSeal 4' & 8'

SPECIFICATION

Model	Size	Power	Input Voltage	Dimmable	PF	Light Efficacy	Ra	CCT
ASVT-4	4FT	30/35/40W	AC100-277	0-10V	>0.9	140lm/w	80	35K/4K/5K/6K
ASVT-8	8FT	60/70/80W	AC100-277	0-10V	>0.9	140lm/w	80	35K/4K/5K/6K






AeroSeal 4' & 8'








INSTALLATION





Surface Mounted Installation



Chain Installation




Connection Instruction






AeroSeal 4' & 8'



Distribution Diagram

LED Linear Vapor Light 4FT 30W-35W-40W 3500K-6000K



LED Linear Vapor Light 8FT 60W-70W-80W 3500K-6000K

