



**Sky Bright Regular 24"**



**Description:**

Introducing our sleek LED Ceiling Surface Mount Light, a perfect blend of style and functionality. With its slim design, this light fixture seamlessly integrates into any space, fitting neatly on a standard ceiling junction box. It offers 3CCT tunable capability, allowing you to adjust the color temperature for the desired ambiance. Additionally, it is dimmable, giving you control over the brightness. Experience the perfect lighting solution that is both stylish and efficient.

**Model:**

**Optical:**

CCT:	3CCT, 3000K/4000K/5000K
Lumen out put:	3840LM High Brightness
Lumen Efficacy:	80 LM/W
LED Type:	SMD2835
CRI:	>80

**Electrical:**

Rated Power:	48W
Input voltage:	AC 120V
Beam angle:	120°
Power factor/THD/PE:	>90% / <30 / 70%

**Life:**

Lumen maintenance:	50,000hrs
Warranty:	2 Years

**General:**



Dimmable Solution:	Triac / 0-10V
IP:	IP20
Operating temperature:	-20C° to +40C°
Finish color Availability:	White
Certification:	cETLus





**Sky Bright Regular 24"**

**DRAWING**







**Sky Bright Regular 24"**

**INSTALLATION**

A: Surface Mounted



B: Semi - Flush Mount



C: Suspending Intallation




8", 12", 16"




24"

**POLAR CURVES WIDE DISTRIBUTION**



**AVERAGE BEAM ANGLE(50%):112.1 DEG**

**AVERAGE AND CENTER FIGURE**




Note: The Curves indicate the illuminated area and the average illumination when the luminaire is at different distance.





## Sky Bright Regular 24"

### APPLICATIONS



### Wide Application



Front light color temperature  
3000K 4000K and 5000K adjustable

