

Velora Ceiling Light

**Description:**

A decorative surface-mounted ceiling fixture featuring a sleek circular design with soft, low-glare illumination for comfortable ambient lighting. Available in 12", 16", and 20" sizes, Velora offers field-selectable CCT to suit various environments and preferences. Ideal for residential and commercial applications requiring a modern aesthetic with smooth, even light distribution.



**Model: Velora**

**Optical:**

CCT: 3000K/4000K/5000K 3CCT Selectable  
 Efficacy: 87LM/W-88LM/W-88LM/W  
 Lumens: 1400LM-2300LM-2650LM  
 CRI: Ra85

**Electrical:**

Power: 16W,26W ,30W  
 Input voltage: 120V AC 60Hz  
 Dimmable Solution: 5-100% TRIAC DIMMING  
 PF: ≥0.9  
 Beam Angle: 120°

**Life:**

Lifespan: 50000hrs.  
 Warranty: 2 Years

**General:**

Environment: Damp Location  
 Operating temperature: -10°C TO + 45°C

**Specifications**

Model	Size (Inch)	Wattage	EFFICACY	DELIVERED LUMENS	CCT
<b>CGLV-12</b>	12"	16W	87LM/W±5%	1400LM±5%	3000K 4000K 5000K
<b>CGLV-16</b>	16"	26W	88LM/W±5%	2300LM±5%	
<b>CGLV-20</b>	20"	30W	88LM/W±5%	2650LM±5%	



Velora Ceiling Light



**Dimension:**

DIMENSION	A(Diameter)	B(Height)
12"	11"	2.8"
16"	14.9"	2.8"
20"	18.9"	2.8"




**RECOMMENDED DIMMERS**


LUTRON				LEVITON	
DVCL-153P-WH	DVELV-300P-WH	S-600P-WH	MACL-153M-WH	6674	6615-POW
DVSCCL-153P-ES	PD-6WCL, Caseta Wireless dimmer	SELV-300P-IV	DVWCL-153PH-WH	6633	RHCL453PW
DVCL-253P-WH	CTCL-153P-IV	AYCL-253P-WH		TSLO6-1LW	




**Velora Ceiling Light**



**12" Ceiling Light**



**16" Ceiling Light**



**20" Ceiling Light**

