




VistaBox

SPECIFICATION SHEET



Description:

The VistaBox is a stylish and durable outdoor wall light features a metal frame surrounding a double-layered PC lens with anti-UV coating to prevent yellowing and ensure long-lasting clarity. The double-shade design reduces glare while delivering high lumen output for bright, comfortable illumination. Ideal for patios, balconies, walkways, Building Facade and entryways .



Model: WLLD1215275CBKGS

Optical:

CCT:	5CCT Tunable 22K/27K/30K/40K/50K
Lumen:	1100LM
Efficiency:	80LM/W
CRI:	80
LED:	SMD

Electrical:

Rated Power:	15 W
Input Voltage:	AC100-277V

Life:

Lifespan:	30,000hrs
Warranty:	3 Years

General:


Dimmable Solution:	Triac / 0-10 V
Body:	Aluminum+PC
Housing Color:	Matt Black
Operating Temp	-4F to 104F (-20°C -40°C)
Location and IP rating:	IP65 suitable for wet locations
Certification:	ETL, cETL






PRODUCT SIZE

85mm (3.34")



310mm (12")

126mm (5")





Features and Specifications

Anti-UV Double Shades:

Equipped with robust PC (polycarbonate) shades treated with anti-UV powder to prevent yellowing and ensure long-lasting clarity.

The double-layered design diffuses light softly and eliminates glare, offering superior comfort compare traditional glass materials.

Electrical

Wide Voltage & Dimming Compatibility Supports AC100-277V input with 0-10V dimming capability and phase dimming option , providing flexibility for a range of lighting systems and energy-saving control.

CCT :

5CCT Tunable Light Easily switch between five color temperatures (2200K / 2700K / 3000K / 4000K / 5000K) to suit different moods, settings, and applications.

Construction:

Crafted with a die-cast aluminum waterproof housing and steel backplate for maximum strength and durability in harsh outdoor environments.

Appearance :

A sleek, high-quality appearance with a modern silhouette enhances architectural aesthetics while providing reliable illumination.

Environment:

With an IP65 rating, this fixture is fully protected against rain, snow, and dust – ideal for all-weather outdoor use.

Finish:

Coated with anti-rust and anti-corrosion powder paint to maintain its original color and finish even after years of exposure.

Certificate :

ETL and cETL listed, meeting U.S. and Canadian electrical safety standards for dependable and secure operation.

Installation:

Designed to fit a standard 4" U.S. junction box, allowing for quick and straightforward setup.

Applications:

Perfect for enhancing the look and security of outdoor spaces such as gardens, patios, balconies, corridors, walkways, villas, and entry pillars